

20

1

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

2

19

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

18

3

Az AtoZ media
212.260.0237
Template questions?
Please email art@atozmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

4

17

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

16

5

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

6

15

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

14

7

Az AtoZ media
212.260.0237
Template questions?
Please email art@atozmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

8

13

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

12

9

Az AtoZ media
212.260.0237
Template questions?
Please email art@atozmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.

10

11

Az A to Z media
212.260.0237
Template questions?
Please email art@azmedia.com

CUT LINE
ART MUST EXTEND PAST THIS LINE
TO AVOID BLANK, UNPRINTED EDGES

FOLD LINE
PRINT WILL FOLD AT DOTTED
GREEN LINES

PLEASE NOTE: IMAGES USED IN THIS
LAYOUT NEED TO BE CMYK TIF FILES
AT A RESOLUTION OF 300PI

Please note this is a die-cut template. Please add 3 mm bleed at all sides. Text and logos should not be closer than 3 mm to the die-lines.